

Amendment to the Claims:

This listing of claims shall replace all prior versions and listings of claims.

Listing of Claims:

Claims 1-26 (canceled)

Claim 27 (currently amended) An isolated nucleic acid molecule ~~comprising~~
consisting of at least 50 contiguous nucleotides of nucleotides 626 to 1260 of SEQ ID
NO:1, or the completely complementary strand thereto.

Claim 28 (currently amended) The isolated nucleic acid molecule of claim 27,
wherein said nucleic acid molecule ~~comprises~~ consists of at least 50 contiguous
nucleotides of nucleotides 626 to 1260 of SEQ ID NO:1.

Claim 29 (currently amended) The isolated nucleic acid molecule of claim 27,
wherein said nucleic acid molecule ~~comprises~~ consists of at least 50 contiguous
nucleotides of the completely complementary strand of nucleotides 626 to 1260 of
SEQ ID NO:1.

Claim 30 (previously presented) The isolated nucleic acid molecule of claim 27,
wherein said polynucleotide sequence comprises a heterologous polynucleotide
sequence.

Claim 31 (previously presented) The isolated nucleic acid molecule of claim 30,
wherein said heterologous polynucleotide sequence encodes a heterologous
polypeptide.

Claim 32 (canceled)

Claim 33 (previously presented) A recombinant vector comprising the isolated
nucleic acid molecule of claim 27.

Claim 34 (previously presented) The recombinant vector of claim 33, wherein said nucleic acid molecule is operably associated with a heterologous regulatory sequence that controls gene expression.

Claim 35 (previously presented) A recombinant host cell comprising the isolated nucleic acid molecule of claim 27.

Claim 36 (previously presented) The recombinant host cell of claim 35, wherein said nucleic acid molecule is operably associated with a heterologous regulatory sequence that controls gene expression.

Claim 37 (previously presented) A method for producing a polypeptide, comprising:

- (a) culturing a host cell under conditions suitable to produce a polypeptide encoded by the nucleic acid molecule of claim 28; and
- (b) recovering the polypeptide from the cell culture.

Claims 38-63 (canceled)

Claim 64 (currently amended) An isolated nucleic acid molecule ~~comprising~~ consisting of at least 50 contiguous nucleotides of the coding sequence of the human cDNA contained in ATCC Deposit No. 75844, or the completely complementary strand thereto.

Claim 65 (currently amended) The isolated nucleic acid molecule of claim 64, wherein said nucleic acid molecule ~~comprises~~ consists of at least 50 contiguous nucleotides of the coding sequence of the human cDNA contained in ATCC Deposit No. 75844.

Claim 66 (currently amended) The isolated nucleic acid molecule of claim 64, wherein said nucleic acid molecule ~~comprises~~ consists of at least 50 contiguous nucleotides of the completely complementary strand of the coding sequence of the human cDNA contained in ATCC Deposit No. 75844.

Claim 67 (previously presented) The isolated nucleic acid molecule of claim 64, wherein said polynucleotide sequence comprises a heterologous polynucleotide sequence.

Claim 68 (previously presented) The isolated nucleic acid molecule of claim 67, wherein said heterologous polynucleotide sequence encodes a heterologous polypeptide.

Claim 69 (canceled)

Claim 70 (previously presented) A recombinant vector comprising the isolated nucleic acid molecule of claim 64.

Claim 71 (previously presented) The recombinant vector of claim 70, wherein said nucleic acid molecule is operably associated with a heterologous regulatory sequence that controls gene expression.

Claim 72 (previously presented) A recombinant host cell comprising the isolated nucleic acid molecule of claim 64.

Claim 73 (previously presented) The recombinant host cell of claim 72, wherein said nucleic acid molecule is operably associated with a heterologous regulatory sequence that controls gene expression.

Claim 74 (previously presented) A method for producing a polypeptide, comprising:

- (a) culturing a host cell under conditions suitable to produce a polypeptide encoded by the nucleic acid molecule of claim 65; and
- (b) recovering the polypeptide from the cell culture.

Claim 75 (previously presented) A method of using the polynucleotide of claim 27 to detect a nucleic acid molecule in a biological sample which hybridizes thereto comprising:

- (a) obtaining a biological sample suspected of containing said nucleic acid molecule;
- (b) contacting said biological sample with said polynucleotide under conditions suitable for hybridization of said polynucleotide to said nucleic acid molecule; and
- (c) determining the presence or absence of said nucleic acid molecule in said biological sample.

Claim 76 (previously presented) A method of using the polynucleotide of claim 66 to detect a nucleic acid molecule in a biological sample which hybridizes thereto comprising:

- (a) obtaining a biological sample suspected of containing said nucleic acid molecule;
- (b) contacting said biological sample with said polynucleotide under conditions suitable for hybridization of said polynucleotide to said nucleic acid molecule; and
- (c) determining the presence or absence of said nucleic acid molecule in said biological sample.

Claim 77 (currently amended) An isolated nucleic acid molecule comprising a polynucleotide sequence encoding a polypeptide selected from the group consisting of:

- (a) a polypeptide comprising amino acids 1 to 212 of SEQ ID NO:2;
- (b) a polypeptide comprising amino acids 2 to 212 of SEQ ID NO:2;
- (c) ~~amino acids 59-73 of SEQ ID NO:2;~~
- [[[(d)]]] a polypeptide comprising an amino acid sequence of the full-length polypeptide encoded by the cDNA contained in ATCC Deposit No. 75844; and
- [[[(e)]]](d) a polypeptide comprising an amino acid sequence of the full-length polypeptide, excluding the N-terminal methionine, encoded by the cDNA contained in ATCC Deposit No. 75844; ~~and~~
- ~~(f) an amino acid sequence of the purine binding motif of the polypeptide encoded by the cDNA contained in ATCC Deposit No. 75844.~~

Claim 78 (currently amended) The isolated nucleic acid molecule of claim 77, wherein said polynucleotide sequence encoding [[a]] the polypeptide sequence is (a).

Claim 79 (currently amended) The isolated nucleic acid molecule of claim 77, wherein said polynucleotide sequence encoding [[a]] the polypeptide sequence is (b).

Claim 80 (currently amended) The isolated nucleic acid molecule of claim 77, wherein said polynucleotide sequence encoding [[a]] the polypeptide sequence is (c).

Claim 81 (currently amended) The isolated nucleic acid molecule of claim 77, wherein said polynucleotide sequence encoding [[a]] the polypeptide sequence is (d).

Claim 82-83 (canceled)

Claim 84 (previously presented) The isolated nucleic acid molecule of claim 77, wherein said polynucleotide sequence comprises a heterologous polynucleotide sequence.

Claim 85 (previously presented) The isolated nucleic acid molecule of claim 84, wherein said heterologous polynucleotide sequence encodes a heterologous polypeptide sequence.

Claim 86 (previously presented) A recombinant vector comprising the isolated nucleic acid molecule of claim 77.

Claim 87 (previously presented) The recombinant vector of claim 86, wherein said nucleic acid molecule is operably associated with a heterologous regulatory sequence that controls gene expression.

Claim 88 (previously presented) A recombinant host cell comprising the isolated nucleic acid molecule of claim 77.

Claim 89 (previously presented) The recombinant host cell of claim 88, wherein said nucleic acid molecule is operably associated with a heterologous regulatory sequence that controls gene expression.

Claim 90 (previously presented) A method of producing a polypeptide, comprising:

- (a) culturing a host cell under conditions suitable to produce a polypeptide encoded by the nucleic acid molecule of claim 77; and
- (b) recovering the polypeptide from the cell culture.

Claim 91 (currently amended) An isolated nucleic acid molecule consisting of a polynucleotide sequence encoding a polypeptide selected from the group consisting of:

- (a) a polypeptide consisting of at least 30 contiguous amino acid residues of amino acids 1 to 212 of SEQ ID NO:2;
- (b) a polypeptide consisting of at least 50 contiguous amino acid residues 1 to 212 of SEQ ID NO:2;
- (c) a polypeptide consisting of at least 30 contiguous amino acid residues of the polypeptide encoded by the cDNA contained in ATCC Deposit No. 75844; and
- (d) a polypeptide consisting of at least 50 contiguous amino acid residues of the polypeptide encoded by the cDNA contained in ATCC Deposit No. 75844.

Claim 92 (currently amended) The isolated nucleic acid molecule of claim 91, wherein said polynucleotide sequence encoding [[a]] the polypeptide sequence is (a).

Claim 93 (currently amended) The isolated nucleic acid molecule of claim 91, wherein said polynucleotide sequence encoding [[a]] the polypeptide sequence is (b).

Claim 94 (currently amended) The isolated nucleic acid molecule of claim 91, wherein said polynucleotide sequence encoding [[a]] the polypeptide sequence is (c).

Claim 95 (currently amended) The isolated nucleic acid molecule of claim 91, wherein said polynucleotide sequence encoding [[a]] the polypeptide sequence is (d).

Claim 96 (previously presented) The isolated nucleic acid molecule of claim 91, wherein said polynucleotide sequence comprises a heterologous polynucleotide sequence.

Claim 97 (previously presented) The isolated nucleic acid molecule of claim 96, wherein said heterologous polynucleotide sequence encodes a heterologous polypeptide sequence.

Claim 98 (previously presented) A recombinant vector comprising the isolated nucleic acid molecule of claim 91.

Claim 99 (previously presented) The recombinant vector of claim 98, wherein said nucleic acid molecule is operably associated with a heterologous regulatory sequence that controls gene expression.

Claim 100 (previously presented) A recombinant host cell comprising the isolated nucleic acid molecule of claim 91.

Claim 101 (previously presented) The recombinant host cell of claim 100, wherein said nucleic acid molecule is operably associated with a heterologous regulatory sequence that controls gene expression.

Claim 102 (previously presented) A method of producing a polypeptide, comprising:

- (a) culturing a host cell under conditions suitable to produce a polypeptide encoded by the nucleic acid molecule of claim 91; and
- (b) recovering the polypeptide from the cell culture.

Claim 103 (currently amended) An isolated nucleic acid molecule comprising a polynucleotide sequence encoding a polypeptide selected from the group consisting of:

- (a) a polypeptide comprising an amino acid sequence which is at least 90% identical to amino acids 1 to 212 of SEQ ID NO:2;
- (b) a polypeptide comprising an amino acid sequence which is at least 95% identical to amino acids 1 to 212 of SEQ ID NO:2;
- (c) a polypeptide comprising an amino acid sequence which is at least 90% identical to the polypeptide encoded by the cDNA contained in ATCC Deposit No. 75844; and
- (d) a polypeptide comprising an amino acid sequence which is at least 95% identical to the polypeptide encoded by the cDNA contained in ATCC Deposit No. 75844;

wherein said polypeptide has hypoxanthine (guanine) phosphoribosyl transferase-2 (HPRT-2) activity.

Claim 104 (currently amended) The isolated nucleic acid molecule of claim 103, wherein said polynucleotide sequence encoding [[a]] the polypeptide sequence is (a).

Claim 105 (currently amended) The isolated nucleic acid molecule of claim 103, wherein said polynucleotide sequence encoding [[a]] the polypeptide sequence is (b).

Claim 106 (currently amended) The isolated nucleic acid molecule of claim 103, wherein said polynucleotide sequence encoding [[a]] the polypeptide sequence is (c).

Claim 107 (currently amended) The isolated nucleic acid molecule of claim 103, wherein said polynucleotide sequence encoding [[a]] the polypeptide sequence is (d).

Claim 108 (previously presented) The isolated nucleic acid molecule of claim 103, wherein said polynucleotide sequence comprises a heterologous polynucleotide sequence.

Claim 109 (previously presented) The isolated nucleic acid molecule of claim 108, wherein said heterologous polynucleotide sequence encodes a heterologous polypeptide sequence.

Claim 110 (previously presented) A recombinant vector comprising the isolated nucleic acid molecule of claim 103.

Claim 111 (previously presented) The recombinant vector of claim 110, wherein said nucleic acid molecule is operably associated with a heterologous regulatory sequence that controls gene expression.

Claim 112 (previously presented) A recombinant host cell comprising the isolated nucleic acid molecule of claim 103.

Claim 113 (previously presented) The recombinant host cell of claim 112, wherein said nucleic acid molecule is operably associated with a heterologous regulatory sequence that controls gene expression.

Claim 114 (previously presented) A method of producing a polypeptide, comprising:

- (a) culturing a host cell under conditions suitable to produce a polypeptide encoded by the nucleic acid molecule of claim 103; and
- (b) recovering the polypeptide from the cell culture.

Claims 115-126 (canceled)